



Office of the TECHNICAL DIRECTOR

Staging Equipment Inventory

file last updated: 11.28.2016

CASTERS (with known load rating):

Quantity	Type	Wheel Material	Overall Height	Wheel Diameter	Wheel Thickness	Load Rating
2	Swivel		7 1/2"	6"	2"	500 lbs.
8	Swivel		7 1/2"	6"	1 3/8"	250 lbs.
4	Swivel/Semi-Pneumatic (Grainger #3G151)	Rubber	7 3/8"	6"	2"	200 lbs.
10	Fixed		6 3/8"	5"	1 3/8"	240 lbs.
8	Swivel (Grainger #2G053)	Rubber Tread on Polyolefin Core	4 1/4"	3"	1 1/4"	210 lbs.
3	Swivel; Locking (Grainger #2G035)	Rubber Tread on Polyolefin Core	4 1/4"	3"	1 1/4"	210 lbs.
53	Swivel		3 11/16"	3"	1 1/4"	125 lbs.
26	Fixed		3 11/16"	3"	1 1/4"	210 lbs.
8	Swivel		2 9/16"	2"	13/16"	75 lbs.
4	Fixed (Rose Brand Pallet Master)	Advanced Elastomer	1 1/4"	1 1/4"	1 1/4"	100 lbs.

CURTAIN TRACKING:

Quantity	Description
2	26' Heavy-duty Track (280 series) (Grand Curtain)
2	21' Heavy-duty Track (280 series) (Line #14)
2	6' Heavy-duty Track (280 series) (in storage)
2	26' Medium-duty Track (170 series) (Dead-Hung between lines #7 & #8)
1	23' Medium-duty Track (170 series) (Line #15)
2	18' Medium-duty Track (170 series) (one on Line #15, one in storage)
1	14' Medium-duty Track (170 series) (in storage)
1	+/-40' Flex-i-trac® (132 series) Light-to-Medium duty track (on grand curtain line, with 1 splice)
2	+/-38' Flex-i-trac® (132 series) Light-to-Medium duty track (in shop, with 2 splices)
4	5'-4" Flex-i-trac® (132 series) Light-to-Medium duty track (sized to fit SR legs)
4	4'-4" Flex-i-trac® (132 series) Light-to-Medium duty track (sized to fit SL legs)
9	Scenery Carrier for Medium-duty track (model #1751A, 150 lb. load rating)
2	Splicing Clamps for Heavy-duty track
3	Splicing Clamps for Medium-duty track

DANCE FLOORING:

<i>Quantity</i>	<i>Width</i>	<i>Length</i>	<i>Notes</i>
5	5'-3"	36'-0"	Vinyl dance floor, black(actually dark grey)/white, .05" thick
1	5'-3"	36'-0"	Vinyl dance floor, black(actually dark grey)/white, .05" thick, with notches cut at each end to fit around proscenium
1	Varies	36'-0"	Vinyl dance floor, black(actually dark grey)/white, .05" thick, with one edge cut to match curvature of apron
n/a	5'-3"	varies	Off-cuts from the new vinyl dance floor, black(actually dark grey)/white, .05" thick
4	5'-3"	38'-2"	Old vinyl dance floor, black/white, .05" thick
1	5'-3"	36'-0"	Old vinyl dance floor, black/white, .05" thick, with notches cut at each end to fit around proscenium
1	Varies	36'-0"	Old vinyl dance floor, black/white, .05" thick, with one edge cut to match curvature of apron
1	5'-3"	16'-0"?	Old vinyl dance floor, black/white, .05" thick
1	5'-3"	4'-0"?	Old vinyl dance floor, black/white, .05" thick

ORCHESTRA PIT EQUIPMENT:

<i>Quantity</i>	<i>Description</i>
14	Music Stands (Manhasset model #48)
1	Conductor's Music Stand (Manhasset model #54)
18	Clip-on Music Stand Lights (Manhasset M57 model #1000)
2	LED Littlelites (Model #L-18-LED) w/Weighted Base for use with the Piano
2	Custom extension cords for stand light electrical distribution; 20' long, four 1-gang Edison outlets every 5', male twist-lock connector at end
8	Custom extension cords for stand light electrical distribution; 8' long, two 1-gang Edison outlets every 4', male Edison connector at end

RIGGING EQUIPMENT:

<i>Quantity</i>	<i>Description</i>
8	±60' Lengths of ½" Manila Rope
2	±75' Lengths of ½" Manila Rope
6	±110' Lengths of ½" Manila Rope
2	±120' Lengths of ½" Manila Rope
6	Lengths of ¾" Stage-Set X Rope – 70'-110' (plus assorted short lengths)
2	5" DIA spot block (single) for aircraft cable (up to ¼") with batten coupler – 500 lb. SWL
32	6" DIA swivel-type loft block for rope (one is missing a holding clamp)
3	6" DIA swivel-type 4-line head block for rope
3	8" DIA fixed-type 5-line head block for rope
3	4-line trim clamp (clew)
3	5-line trim clamp (clew) (1 is damaged)
15	Belaying pin
7	50 lb. capacity sand bag
4	25 lb. capacity sand bag
14	10 lb. capacity sand bag
5	10 lb. capacity sand bag (in need of repair – saved for use as set dressing)

MISCELLANEOUS:

<i>Quantity</i>	<i>Description</i>
6	Boom Bases
1	10'-6" boom: 1½" schedule #40 (one end threaded)
1	10' boom: 1½" schedule #40 (both ends threaded)
2	9' booms: 1½" schedule #40 (one end threaded)
1	8' boom: 1½" schedule #40 (one end threaded)
1	7'-8" boom: 1½" schedule #40 (at least one end threaded, 1 is stainless steel)
2	6' boom: 1½" schedule #40 (one end threaded)
2	13' screen hanging pipe: 1" schedule #40
2	I-Beam Clamp (intended for hanging gymnastics rings)
2	Spring Swivels (intended for hanging gymnastics rings)
6	Universal joint for hanging playground tire swings (850 lb. load rating)
1	Men's stainless steel high bar (gymnastics) with mounting hardware
4	Bearings, flange-mount, 1 15/16" DIA. bore, Grainger # 5X704C
1	Block and Tackle (pair)
9	Stage Braces
4	Wagon Brakes, heavy-duty (800 lb. lift capacity)
1	Winch Handle, orange (for grand curtain rigging line)