

## Table of Contents

<b>Chapter 23: The Foundations of Quantum Mechanics</b>	
23.1 A Brief Review of Classical Mechanics	1
<i>Newton's Laws of Motion</i>	1
<i>Classical Hamiltonian is the Sum of the Kinetic and Potential Energy</i>	2
<i>Energy is Often Expressed in Electron Volts</i>	3
<i>Waves Show Oscillatory Behavior</i>	3
<i>Waves can be Represented by Complex Waveforms</i>	4
23.2 Steps Toward Quantum Theory	7
<i>Matter Has Quantized Energy Levels</i>	7
<i>Light Has a Particle Nature – Photoelectric Effect</i>	8
<i>Particles Have a Wave Nature – Bragg's Law</i>	11
<i>Structure of the Atom</i>	12
23.3 Free Particle Motion	15
<i>The Schrödinger Equation</i>	15
<i>Kinetic Energy is Given by the Curvature of the Wavefunction</i>	17
<i>The Square of the Wave Function Determines the Probability of Finding a Particle at a Given Point</i>	19
23.4 Confined Particle Motion	21
<i>The Model for a Confined Particle is the Particle in a Box</i>	21
<i>The Solutions to the Schrödinger Equation are Orthogonal</i>	24
<i>Confined Particles are a Model for the Spectra of Conjugated Molecules</i>	26
<i>The Schrödinger Equation is an Eigenvalue Equation</i>	27
<i>Observable Properties are Eigenvalues or Expectation Values</i>	28
<i>Particles are Fuzzy – Position and Momentum Can't Both be Determined with High Precision</i>	30
<i>Zero Point Energy is a Result of the Uncertainty Relationship</i>	33
23.5 Tunneling – Particles can Penetrate Into Barriers	33
<i>The Tunneling Probability Depends on the Barrier Height and Width</i>	33
<i>Scanning Tunneling Microscopy can Image Single Atoms</i>	36
23.6 Particle in a 3-Dimensional Box	37
<i>For Separable Potentials, <math>\Psi(x,y,z)</math> is a Product of One-Dimensional Wave Functions</i>	37
23.7 The Postulates of Quantum Mechanics	40
<i>Operators Have Properties Independent of the Function They Operate On</i>	40
<i>The Order of Operations Can Make a Difference</i>	42
<i>The Eigenvalues for Quantum Mechanical Operators are Real</i>	44
<i>The Time Dependent Schrödinger Equation is Separable for Time-Independent Potentials</i>	45
<i>Complementary Observables Obey an Uncertainty Relationship</i>	47
<i>Does Quantum Mechanics Work? The Correspondence Principle</i>	47
23.8 Summary – Looking Ahead	48
23.9 Addendum: Complex Variables	49
<b>Chapter 24: The Quantum Mechanics of Rotation and Vibration</b>	<b>63</b>
24.1 A Brief Review of Classical Mechanics: Vibration	63
<i>The Vibrational Restoring Force is Proportional to the Extension</i>	65
24.2 Vibration	65
<i>The Harmonic Oscillator is a Model for Molecular Vibrations</i>	65
<i>The Harmonic Oscillator is Quantized</i>	67
<i>Excited State Wavefunctions are Built from the Ground State Wavefunction</i>	68
24.3 The Hermite Equation	70
<i>The Harmonic Oscillator Schrödinger Equation Reduces to the Hermite Equation</i>	70

24.4 A Brief Review of Classical Mechanics: Rotation and Angular Momentum	71
<i>Angular Momentum</i>	71
24.5 Angular Momentum and Molecular Rotation	74
<i>The Rigid Rotor is a Model for Molecular Rotation</i>	74
<i>Rotation in a Plane is Quantized</i>	74
<i>Spherical Polar Coordinates are Used for Spherically Symmetric Systems</i>	76
<i>Angular Momentum in 3-Dimensions</i>	77
<i>Rotation in 3D Involves Two Angular Dimensions</i>	79
24.6 Angular Momentum Vector Diagrams	83
24.7 Ladder Operators Simplify Finding Quantum States	85
<i>Harmonic Oscillator Excited States can be Generated Using Ladder Operators</i>	85
<i>For Angular Momentum, the Values for <math>m_l</math> can be Determined Using Ladder Operators</i>	88
24.8 Summary – Looking Ahead	89
24.9 Addendum: Integrals in Multiple Dimensions and Spherical Polar Coordinates	90
<b>Chapter 25: Atomic Structure</b>	99
25.1 Hydrogen Atom	99
<i>The Ground State of the Hydrogen Atom</i>	100
<i>How Big is an Atom? Expectation Values</i>	104
25.2 Excited States are Built from the Ground State Wavefunction	106
<i>Spherical Polar Coordinate Transforms Specify the Angular Portion of “Oriented” Atomic Orbitals</i>	110
<i>The Atom can have Orbital Angular momentum</i>	111
<i>The Intrinsic Angular Momentum of the Electron gives the Fourth Quantum Number</i>	112
25.3 Multi-Electron Atoms	112
<i>Independent Electron Approximation</i>	113
<i>Perturbation Method</i>	114
<i>Variation Method</i>	117
25.4 Self-Consistent Field Theory	118
<i>Shielding of the Nuclear Charge and Electron-Electron Repulsion</i>	118
<i>Electron-Electron Repulsion Breaks the Orbital Degeneracy</i>	120
<i>Pauli Exclusion Principle and Electron Spin</i>	121
<i>Hund’s First Rule Applies to Degenerate Sub-Shells</i>	122
<i>The Aufbau Principle Predicts the Configuration of the Elements</i>	122
<i>The Energy Levels for an Ion Are Different from the Neutral Atom</i>	125
<i>The Exchange Interaction is the Result of Electron Indistinguishability</i>	125
<i>The Configuration <math>1s^1 2s^1</math> gives a Singlet and Triplet State</i>	128
<i>Multiple Slater Determinants are Required for <math>S &gt; 0</math></i>	129
25.5 Representations of Atomic Orbitals	130
<i>Slater Type Orbitals, STOs, have no Radial Nodes</i>	130
<i>Gaussian Orbitals are Easier to Integrate</i>	132
25.6 Atomic Spectra	135
<i>Spin Angular Momentum Adds Vectorially</i>	135
<i>Orbital Angular Momenta Add Vectorially</i>	137
<i>Term Symbols are Nicknames for Energy States</i>	138
<i>Spin and Orbital Angular Momenta Couple</i>	141
<i>Selection Rules Govern the Intensities of Transitions</i>	145
25.7 Magnetic Interactions	146
25.8 Summary – Looking Ahead	149
25.9 Addendum: Electron-Electron Repulsion in Helium	149
<i>Perturbation Theory: The Expectation Value of the Electron-Electron Repulsion in Helium</i>	149
<i>Variation Theory: The Expectation Value of the Exact Helium Atom Hamiltonian</i>	151

<b>Chapter 26: Molecular Structure</b>	165
26.1 Hydrogen Molecular Ion, $H_2^+$	165
<i>Born-Oppenheimer Approximation</i>	165
<i>The Molecular Orbitals are Approximated as a Linear Combination of Atomic Orbitals</i>	167
<i>Bonding and Anti-Bonding Orbitals</i>	171
26.2 The Hydrogen Diatomic Molecule	172
<i>Molecular Orbitals are Approximated as the Products of One-Electron Orbitals</i>	172
<i>The Variation Method Allows the Calculation of the Effective Nuclear Charge</i>	173
<i>Accounting for Electron-Electron Repulsion: Polarization Functions</i>	173
<i>The Motion of the Electrons is Correlated: Configuration Interaction</i>	175
<i>Why Do Atoms Stick Together?</i>	176
26.3 Heteronuclear Diatomic Molecules	177
<i>Wanted: Good Orbital Overlap and Energy Matching!</i>	177
<i>Lithium Hydride has Partial Ionic Character</i>	179
<i>Population Analysis Determines the Atomic Electron Density and Bond Order</i>	181
<i>Electronegativity Differences Cause Deviations from Perfect Sharing</i>	183
26.4 Second-Period Homonuclear Diatomic Molecules	184
<i><math>O_2</math> Molecular Orbitals: The LCAO Approach</i>	186
<i>Molecular Orbitals Can be Described by Their Symmetry</i>	187
<i>Why is the Orbital Ordering Different for <math>O_2</math> and <math>N_2</math>? Energy Matching</i>	190
<i>Does Molecular Orbital Theory Really Work? Experimental Bond Strength Measures</i>	192
26.5 Self-Consistent Field Hartree-Fock Theory	193
<i>LCAO+Slater Determinants+One-Electron Products = Roothaan Equations</i>	193
<i>Semi-Empirical Molecular Orbital Theory: CNDO, MNDO, AM1, PM3</i>	196
<i>Density Functional Theory: DFT</i>	197
26.6 Bonding in Polyatomic Molecules	199
<i>Linear <math>BeH_2</math>, triplet <math>CH_2</math>, <math>NH_2</math>, and <math>H_2O</math>: An Initial Model</i>	199
<i>Walsh Diagrams Predict the Equilibrium Bond Angle</i>	203
<i><math>H_2O</math> is Bent</i>	204
<i><math>CO_2</math> has 3-Center <math>\pi</math>-Orbitals</i>	204
<i>Is Ozone Linear or Bent?</i>	206
26.7 Hybridization	208
<i>Hybridization Combines Atomic Orbitals to Maximize Overlap</i>	208
<i>Different Hybrids Give Different Bond Angles</i>	210
26.8 Hückel Molecular Orbital Theory	212
<i>Conjugated Double Bonds are Extensively Delocalized</i>	212
<i>The Extended Hückel Method Accommodates All Elements and Orbital Overlap</i>	219
26.9 Summary – Looking Ahead	221
<b>Chapter 27: Rotational and Vibrational Spectroscopy</b>	235
27.1 Spectroscopy in General: The Intensity of Spectroscopic Transitions	235
<i>Selection Rules Predict the Occurrence of Transitions</i>	238
<i>The Transition Dipole Moment Involves the Initial and Final States</i>	238
27.2 The Width of Spectroscopic Transitions	240
<i>Intrinsic Lifetime Broadening is Determined from the Heisenberg Uncertainty:</i>	240
<i>Motion Contributes to the Width of Spectral Transitions</i>	240
27.3 Fourier Transform Methods	242
<i>Fourier Transform Based Spectroscopy Gives a Multiplex Advantage</i>	242
27.4 Rotational spectroscopy	247
<i>Selection Rules Require a Permanent Dipole Moment</i>	247

<i>The Rotational Constant Gives the Bond Length</i>	247
<i>Centrifugal Distortion Decreases the Energy Level Spacing</i>	250
<i>Non-Linear Polyatomic Molecules Have Three Moments of Inertia</i>	251
<i>Pulsed Microwave Spectroscopy Uses the Multiplex Advantage</i>	255
27.5 Vibrational Absorption Spectroscopy	256
<i>IR Selection Rules Require a Changing Dipole Moment</i>	256
<i>Diatomic Molecules</i>	257
<i>Anharmonicity Decreases the Energy Level Spacing</i>	257
<i>Normal Modes Describe Vibrations for Polyatomic Molecules</i>	262
<i>Anharmonicity Causes Vibrational Modes to Interact</i>	262
27.6 Rotational-Vibrational Spectroscopy	262
<i>Rotational Constants Are Available from Vibrational Spectra</i>	262
27.7 Raman Spectroscopy	268
<i>Selection Rules are Different for Light Scattering</i>	270
<i>Rotational Raman</i>	271
<i>Vibrational Raman and Absorption Spectroscopy are Complimentary</i>	272
<i>Raman Transitions of Totally Symmetric Normal Modes are Polarized</i>	273
<i>Forbidden Transitions Can Borrow Intensity from Allowed Combinations and Overtones</i>	275
<i>Raman Spectroscopy Works Well in Water and is Enhanced On Some Surfaces</i>	276
27.8 The Effects of Molecular Symmetry: Group Theory	276
<i>The Symmetry of a Molecule Is Described by a Point Group</i>	277
<i>Vibrations Behave Differently Under Transformations of the Point Group</i>	281
<i>The Transition Dipole Has a Corresponding Symmetry</i>	282
<i>Normal Mode Symmetry Determines IR and Raman Activity</i>	283
<i>Symmetry Relationships are Summarized in a Character Table</i>	284
27.9 A More Intense Discussion of Transition Probabilities	287
<i>Oscillator Strength is Proportional to the Integrated Absorption Coefficient</i>	289
<i>Harmonic Oscillator Transitions Only Occur Between Adjacent Levels</i>	291
27.10 Summary – Looking Ahead	291
Problems: <i>Time Dependent Perturbation Theory</i>	309
<b>Chapter 28: Electronic Spectroscopy</b>	313
28.1 Electronic Absorption and Emission Spectroscopy	313
<i>High Resolution Spectra Show Vibrational and Rotational Fine-structure</i>	314
<i>Transition Probabilities are Determined by the Transition Dipole Moment</i>	316
<i>Term Symbols are Unique Nicknames for Electronic States of Atoms and Molecules</i>	316
<i>Electronic Selection Rules</i>	321
<i>Reflection Symmetry (+,-) takes Orbital Degeneracy and Electron Indistinguishability into Account</i>	322
28.2 Vibrational Fine-Structure and Molecular Dissociation	324
<i>The Franck–Condon Principle Predicts the Intensity of Vibrational Transitions</i>	324
<i>Dissociation Energies Can Be Measured Using Electronic Absorption Spectra</i>	328
<i>The Convergence Limit is Estimated by Birge-Sponer Extrapolation</i>	328
<i>Photochemistry - Dissociation and Predissociation</i>	332
<i>Rydberg States Give a Series of Atomic-like Transitions</i>	334
28.3 Electronic Absorption and Emission Spectroscopy-Polyatomic Molecules	335
<i>A Continuous Distribution of Quantum States is Characterized by the Density of States</i>	335
28.4 Fluorescence and Phosphorescence	338
<i>Where-Oh-Where Has My Energy Gone?</i>	338
<i>The Franck–Condon Principle Predicts the Intensity of Vibrational Transitions</i>	340
<i>Fluorescence and Phosphorescence Lifetime Measurements</i>	340
<i>Electronic Energy Transfer</i>	341
<i>Förster Resonance Energy Transfer Can Determine Distances, FRET</i>	342

28.5 Photoelectron Spectroscopy	342
<i>Photoelectron Spectroscopy Estimates Molecular Orbital Energies</i>	344
<i>In N<sub>2</sub> and CO, <math>\sigma_g(2p_z)</math> is above <math>\pi_u(2p)</math></i>	345
28.6 Fermi's Golden Rule and Non-radiative Energy Transfer	347
<i>Energy Transfer is Proportional to the Density of States</i>	347
28.7 Fermi's Golden Rule and Förster Resonance Energy Transfer	350
<i>Förster Resonance Energy Transfer, FRET, is Proportional to the Density of States</i>	350
28.8 Symmetry and Electronic Transition Intensity	352
28.9 Summary – Looking Ahead	356
<i>Nonadiabatic Processes Result from a Breakdown of the Born-Oppenheimer Approximation</i>	357
<b>Chapter 29: Magnetic Resonance Spectroscopy</b>	379
29.1 Nuclear Magnetic Resonance	379
<i>Nuclear Spin States Have Different Energies in a Magnetic Field</i>	379
<i>The Chemical Shift is Dependent on Local Electron Density</i>	383
<i>The Number of Chemical Shift is the Number of Magnetically Distinct Environments</i>	387
<i>Spin-Spin Multiplets are Determined by Connectivity</i>	388
<i>The Spectrum Results from Transitions between Total Angular Momentum States</i>	391
<i>Spin-Spin Coupling is Primarily Through-Bond</i>	392
<i>Heteronuclear Spin-Spin Coupling Parallels Homonuclear Coupling</i>	394
<i>Spin-Spin Multiplets Appear Narrower at High Field</i>	395
<i>Magnetic Equivalence Requires the Same Coupling Constants</i>	395
29.2 Predicting Chemical Shifts	396
<i>Chemical Shifts Depend on the Orientation of the Molecule in the Magnetic Field</i>	396
<i>Chemical Shifts can be Calculated from Molecular Orbital Theory</i>	397
29.3: A Classical Model for the Magnetization	399
<i>The Net Magnetization Precesses About the Applied Field</i>	399
29.4: Fourier Transform Spectroscopy	402
<i>Pulsed Spectroscopy: Fourier Transform Techniques Provide a Multiplex Advantage</i>	402
29.5 Magnetic Resonance Relaxation	404
<i>Spin-Lattice Relaxation Returns the Spin-System to Equilibrium</i>	404
<i>Spin-Spin Relaxation Determines the Transition Line Width</i>	405
<i>Spin-lattice Relaxation is a Sensitive Probe of Molecular Motion</i>	406
<i>General Pattern <math>\rho</math> II: Fluctuation Dissipation</i>	408
<i>Inversion-Recovery Experiments Determine T<sub>1</sub>-Relaxation Times</i>	411
29.6 Chemical Exchange	413
<i>Chemical Exchange Broadens Transitions</i>	413
<i>The Exchange Rate Constant is Determined by Line Widths</i>	413
29.7 Electron Spin Resonance	416
<i>The g-Factor and Hyperfine Splitting</i>	418
<i>Field Modulation Produces a Derivative Line Shape</i>	418
<i>Triplet States Often Give Three ESR Resonances</i>	422
29.8 Coherence	423
<i>An Strong Oscillating Field Produces a Superposition of States</i>	423
<i>Coherence Maintains Phase Relationships, Remember <math>e^{-iEt/\hbar}</math></i>	425
<i>Temporal Coherence Can Be Observed in UV/Visible and Infrared Spectroscopy</i>	425
29.9 Summary – Looking Ahead	425
<b>Chapter 30: Statistical Mechanics</b>	445
30.1 Review of Statistical Mechanical Principles (from Ch. 12)	445

<i>Constraining the Number of Systems and the Total Energy of the Ensemble</i>	446
30.2 The Boltzmann Distribution is the Most-Probable Distribution	447
<i>Canonical Ensemble Partition Functions and Molecular Partition Functions</i>	447
<i>The Partition Function is the Number of Accessible States</i>	449
<i>The Molecular Partition Function Factors into Translational, Rotational, Vibrational, and Electronic Partition Functions</i>	449
<i>The Translational Partition Function Depends on Volume</i>	450
<i>The Vibrational Partition Function is a Power Series</i>	452
<i>The Rotational Partition Function is Calculated in the High Temperature Approximation</i>	454
<i>Low Lying Electronic Degrees of Freedom Contribute to Internal Energy and Gibbs Energy</i>	455
30.3 Thermodynamic Properties are Determined by the Partition Function	458
<i>Internal Energy and Entropy</i>	458
<i>Entropy is Determined from the Partition Function</i>	461
<i>Entropy of a Monatomic Gas</i>	462
<i>All Thermodynamic Parameters can be Calculated from Partition Functions</i>	463
30.4 Statistical Mechanics and the Ideal Gas	466
<i>Units, Units, Units</i>	466
<i>Low Energy Vibrations Contribute to Internal Energy and Gibbs Energy</i>	470
<i>The High Temperature Approximation Gives the Classical Limit</i>	472
30.5 Reaction Gibbs Energy	474
<i>Reaction Gibbs Energies are Calculated from Spectroscopic Constants</i>	474
<i>Reaction Gibbs Energies are Calculated from Electronic Structure Calculations</i>	477
<i>Equilibrium Constants are Determined by Molecular Structure</i>	481
<i>Equilibrium Constants of Ideal Gas Reactions</i>	482
30.6 Fluctuations	487
<i>Fluctuations are Small for Macro-Scale Systems</i>	488
30.7 Indistinguishability, Quantum Statistics, and Statistical Thermodynamics	489
<i>Particles are Fermions or Bosons</i>	489
<i>The Dilute Limit Requires Many More Available Energy States than Molecules</i>	490
<i>There are Two Kinds of H<sub>2</sub>, Ortho and Para Hydrogen:</i>	490
<i>The Symmetry Number in Rotational Spectroscopy</i>	491
30.8 Summary – Looking Ahead	492
<b>Chapter 31: Kinetic Molecular Theory</b>	503
31.1 The Pressure of a Gas is Determined by Molecular Motion	503
31.2 The Maxwell Distribution	507
<i>The Distribution of Molecular Speeds from the Boltzmann Distribution</i>	509
<i>Spherical Polar Coordinates Simplify Spherically Symmetrical Systems</i>	510
<i>Averaging in 3-Dimensions</i>	513
<i>The Maxwell Distribution of Molecular Speeds has a Maximum</i>	513
<i>The Average Speed is Less than the RMS-Speed</i>	514
31.3 The Rate of Molecular Collisions	515
<i>Collisions with a Wall: Effusion</i>	515
<i>The Rate of Molecular Collisions in Ambient Conditions is Screamingly Fast</i>	517
<i>Molecules must collide for a chemical reaction to occur</i>	520
<i>Mean Free Path and the Rate of Molecular Collisions</i>	522
31.4 The Distribution of Molecular Kinetic Energies Has a Maximum	523
31.5 Center of Mass Coordinates	525
31.6 Derivation of the Maxwell Distribution from the Particle In a Box	528
31.7 Summary – Looking Ahead	531

<b>Chapter 32: Reaction Dynamics</b>	539
32.1 The Transition State	539
<i>The Reaction Coordinate is an Unstable Asymmetric Stretch</i>	539
<i>The Rate is Determined by the Frequency of the Reactive Asymmetric Stretch</i>	540
<i>Partition Functions Determine the Number of Accessible States in the Activated Complex</i>	541
<i>Atom-Recombination Under ACT is Consistent with Hard-Core Collision Theory</i>	543
<i>Multiple Crossings, Coupling of Degrees of Freedom, and Tunneling Are Neglected</i>	544
<i>Thermodynamic Transition State Theory Defines the Gibbs Energy of Activation</i>	546
<i>The Transition State Geometry can be Determined Using Molecular Orbital Theory</i>	550
32.2 Potential Energy Surfaces for Reactive Collisions	550
<i>The Born-Oppenheimer Approximation is Assumed</i>	552
<i>PE Surfaces Result in Stable Molecular Vibrations and the Reaction Coordinate</i>	552
<i>The Transition-State Saddle Point can be Early or Late</i>	553
32.3 Classical Trajectory Calculations	554
<i>Reaction Energy Demand and Disposal Depends on the Shape of the PE Surface</i>	557
<i>The Timing of the Reaction During the Vibrational Period of the Reactant Matters</i>	558
<i>Some Conditions Give Multiple Crossings</i>	559
<i>Reactions in Solution and Enzyme Catalyzed Reactions are Treated Using Hybrid Molecular Dynamics</i>	559
32.4 Molecular Beams	560
<i>Reactions can be Studied Collision by Collision</i>	560
<i>The Scattering Angular Distribution Depends on the Potential Energy Surface</i>	561
<i>Break-down of the Born-Oppenheimer Approximation</i>	563
32.5 Unimolecular Processes: RRKM Theory	563
32.6 Reaction Rates in Solution	566
<i>Some Reactions are Diffusion Limited</i>	566
<i>Activity Coefficients in Rate Laws</i>	567
<i>The Kinetic Salt Effect</i>	567
32.7 Collision Theory	569
<i>The Collision Cross-Section and Intermolecular Forces</i>	569
<i>Thermal Reaction Cross-Sections Include Collision Size and Reaction Probability</i>	570
<i>Kinetic Molecular Theory and Reactive Bimolecular Collisions</i>	570
<i>Reaction Cross-Sections are a Function of Collision Energy</i>	571
32.8 Summary – Looking Back	575
Appendix 1: Data Section	585